


STAY COOL, STAY PROTECTED



COOLING PRODUCTS

▼ **ALLEGRO**

▼ **WALTER**

SEASONAL CLIMATE CONTROL

Our Cooling products are designed to protect and provide comfort for workers who must function in high heat environments. We cater to the demands of construction workers, firefighters, welders, and factory workers.

Watch our
seasonal climate
control products
training video



Heat Stress Products



STANDARD VEST FOR COOLING INSERTS

- ▷ Ideally worn under HazMat suits and other protective clothing
- ▷ Features four pockets for inserts, zippered front, and adjustable hook and loop over shoulder/side straps to help achieve a snug fit
- ▷ 2 layers of 100% cotton provide added comfort
- ▷ Inserts not included

Size	Weight	Chest	Order No.
Large	100-175 lbs.	34" to 44"	8413-03
X Large	175-250 lbs.	46" to 48"	8413-04
XX Large	250 lbs. +	50" to 52"	8413-05



HIGH-VIZ COOLING VEST

- ▷ Features four pockets for inserts
- ▷ Zippered front
- ▷ Hook and loop adjustment straps over shoulders
- ▷ 2 layers of 100% cotton
- ▷ Flame resistant
- ▷ Available in Hi-Viz yellow

Size	Weight	Chest	Order No.
Large	100-175 lbs.	34" to 44"	8413-03HV
X Large	175-250 lbs.	46" to 48"	8413-04HV
XX Large	250 lbs. +	50" to 52"	8413-05HV

FEATHER ICE INSERT

- ▷ These lightweight, non-toxic inserts freeze like ice but stay cold up to three times as long
- ▷ Reusable packs deliver a constant temperature of below 50° F
- ▷ The pliable powder conforms to your body when frozen

Order No. 8413-11 (4/pkg.)



PHASE CHANGE INSERT

- ▷ Safe, non-toxic PCM (Phase Change Material) freezes in a freezer or ice water (perfect for use on the job site)
- ▷ Delivers a constant temperature of 65° F for several hours depending on application, environmental and physiological variables
- ▷ Each insert measures 6" x 14" and weighs just 16 oz.

Order No. 8414-11 (4/pkg.)



VORTEX COOLING OR HEATING VEST

- ▷ Delivers constant and adjustable cooling or heating
- ▷ Designed for workers in confined spaces as well as foundries, steel mills, asbestos abatement and paint baking operations
- ▷ With no moving parts, the vortex tube forces a simple heat exchange to separate compressed air into hot and cold airstreams
- ▷ The PVC vest delivers continuous cooled or heated air through its perforated, inner lining
- ▷ This vest offers full range of motion and can be worn under protective clothing

LOW PROFILE VORTEX COOLING VEST

- ▷ Designed to afford cooling to personnel in circumstances where air conditioning is not feasible
- ▷ Connects to any existing clean compressed air source
- ▷ Engineered jets keep the wearer continuously cooled with refrigerated air
- ▷ Airflow enhances the body's natural evaporative cooling while keeping grit, dust, and fibers out
- ▷ Available with a vortex cooler for additional cooling effect

Order No. 8450



Description	Order No.
Vest w/ Plastic Cooler, Std	8300
Vest only, Std	8300-01
Vest only, XL, 200 lbs. +	8300-01L
Plastic Vortex Cooler w/ Snap Tite Plug	8300-95
Plastic Vortex Heater w/ Snap Tite Plug	8310-95
Metal Vortex Heater/Cooler w/ Snap Tite Plug	8300-90
Metal Vortex Cooler w/ Snap Tite Plug, 25 CFM	9991-25



VEST HOSE

Description	Order No.
Air Source Hose 50' w/ Snap Tite Coupler, plug	8400-50
Air Source Hose 100' w/ Snap Tite Coupler, plug	8400-100

Water-Activated Cooling Products



COOL OFFS

- ▷ Soak in cold water for 5 to 9 minutes and the cooling crystals go to work to keep you cool for days
- ▷ Quilted into four sections for an even distribution of hydration material
- ▷ Lightweight and comfortable
- ▷ 38" long which is the longest on market!
- ▷ Can be worn around neck or tied as a headband
- ▷ Our unique button hole closure allows for a secure fit
- ▷ The outer shell is 100% cotton and comes in 7 colors and patterns

Colors and Patterns	Order No.
Cowboy Red	8405-50
Cowboy Blue	8405-51
Royal Blue, Velcro	8405-53V
Royal Blue	8405-53
American Flag	8405-54
Orange	8405-55
Digital Camouflage	8405-59



STANDARD COOLING WRAP

- ▷ Made from 100% lightweight cotton
- ▷ Can be tied around the neck or forehead for all day cooling comfort
- ▷ Ideal for all types of working environments and outdoor recreation
- ▷ Hand washable

Order No. 8405



DELUXE COOLING WRAP

- ▷ Made from 100% lightweight cotton
- ▷ Stay extra cool by soaking wrap in the cooler or chill in the freezer
- ▷ The 3" width band size increases cooling effect
- ▷ Hook and loop closures keep this band in place
- ▷ Ideal for all types of working environments and outdoor recreation
- ▷ Hand washable

Order No. 8405-01



STANDARD COOLING VEST

- ▷ Made from 100% lightweight cotton
- ▷ Soak in water for 5 to 9 minutes for all-day cooling comfort
- ▷ Snap closures allow for quick access
- ▷ Hand washable

Size	Weight	Chest	Order No.
Standard	100-175 lbs.	34" to 44"	8401-03
X Large	175-250 lbs.	46" to 48"	8401-04
XX Large	250 lbs. +	50" to 52"	8401-05





HARDHAT COOLING LINER

- ▷ Made from 100% lightweight cotton
- ▷ Soak for 5 to 9 minutes in cold water for all-day heat relief
- ▷ Attaches to the hardhat harness with an easy elastic/hook and loop closure
- ▷ One size fits all
- ▷ Hand washable

Order No. 8407



COOLING SKULL CAP

- ▷ These four disks are lightweight and low profile
- ▷ Soak for 5 to 9 minutes for up to 72 hours of heat relief
- ▷ Contoured design allows for a great fit
- ▷ Attaches with hook and loop tabs into any type of hat including hardhats
- ▷ Hand washable

Order No. 8411-01



WALTER Surface Technologies

Canada

**FOR MORE INFORMATION,
TO SCHEDULE A FREE DEMO
OR TO ORDER**

Phone: 888-592-5837

Fax: 866-581-1121

Email: csr@walter.com

Or visit: walter.com

United States


**FOR MORE INFORMATION,
TO SCHEDULE A FREE DEMO
OR TO ORDER**

Phone: 800-622-3530

Fax: 800-362-7231

Email: CustSvc-Allegro@walter.com

Or visit: walter.com



WALTER Surface Technologies Inc. © 2025 All Rights Reserved. WALTER Surface Technologies and ALLEGRO logos are trademarks or registered trademarks of WALTER Surface Technologies Inc. Other company, product or service names may be trademarks or service marks of WALTER Surface Technologies or others.

98W109 (06-25)