



**MCR SAFETY**

# **LEATHER WORK GLOVES**

**TRUSTED TO PROTECT**



# Leather Characteristics




## Leather Hides

Leather's widespread usage is due, in part, to its excellent inherent properties. One of these is the density of fibers found in leather. Leather's fibers are so closely intertwined that it is highly resistant to tearing. Here are some of the many characteristics of leather that make it a popular material in a variety of uses.

### Characteristics:




**Durable-Strong-Tough**



**Abrasion Resistant**




**Puncture Resistant**



**Tear Resistant**



**Heat & Spark Resistant**



### **Cowhide**

Best Abrasion  
Good for Heat  
Durability-Long Lasting  
Availability of Hides  
*Drivers, Leather Palms, Welding, Mechanics*



### **Pigskin**

Good Abrasion  
Best for Wet Conditions  
Pliable  
Good Dexterity  
*Driver, Leather Palms, Welding*



### **Goatskin**

Better Abrasion  
High Tensile Strength  
Contains Natural Lanolin  
Great Dexterity  
*Driver, Leather Palms, Welding, Mechanics*



### **Deerskin**

Good Tensile Strength  
Excellent Dexterity & Flexibility  
Soft and Supple for 5-star Comfort  
*Driver Gloves, Mechanics*



### **Elkskin**

Thicker than Deerskin  
Insulates better  
Soft and Supple  
*Welding Gloves*




### **Water Buffalo**

Best Abrasion  
Thick Hide Density  
*Limited Offering-Driver Glove*

**Leather Grading Scale**


Like all personal protective equipment, leather work gloves will wear out over time and need to be replaced. However, a leather's grade directly impacts the overall glove's longevity. By knowing the differences in leather grading, you'll avoid unnecessary spending and will be protected with better quality PPE. Hides are split up into either grain or split leather. An essential component of shopping for leather work gloves is knowing the location of where on the animal the leather was cut. Whether the leather comes from the animal's side or its shoulder or the belly strongly impacts the overall grading and cost of leather gloves.


**Leather Grading Scale**

- Premium Side A**
- Select Side A**
- Select Shoulder A**
- Select Shoulder B**
- Competitive Value C**
- Competitive Value D**
- Competitive Value E**

**Leather Grading**


**Grain**  
**Premium**  
**Select**  
**Competitive Value (CV)**



**Split**  
**Premium Side A**  
**Select Side A**  
**Select Shoulder A**  
**Select Shoulder B**  
**Competitive Value C**  
**Competitive Value D**  
**Competitive Value E**

# Types of Leather Gloves



**Hi-Vis Driver**  
3213HVI

Orange accents serve as a reminder to be safe



**Insulated Driver**  
3555

Fleece insulated liner adds warmth and comfort



**Grain Driver**  
3220

Pull strap across back helps adjust fit



**Impact Driver**  
36336

TPR Back Provides ANSI 138 Level 1 Impact Protection



**Split Driver**  
MU3213DP

This FR Glove has an Arc rating of 52.7 cal/cm<sup>2</sup>



**Grain Single Palm**  
1935

Grain leather, full feature gunn pattern, rubberized cuff



**Cut Resistant Driver**  
3601K

Goatskin has a natural lanolin content that keeps gloves and hands soft



**Split Single Palm**  
1700K

Our most Durable leather palm gloves, constructed with Premium components





**Insulated Single Palm**  
1970

Insulated gloves that are full sock thermal lined for warmth



**Grain Welder**  
MU3624GFR

This FR Glove has an Arc rating of 24.7 cal/cm<sup>2</sup>



**Cut Resistant Single Palm**  
1400H

ARX cut resistant lined offers ANSI A4 protection



**Cut Resistant Welder**  
4850K

Lined and sewn with DuPont™ Kevlar® for added cut protection and exceptional quality



**Double Palm**  
16012

Double Leather palm for added durability



**Insulated Welder**  
49653

Three finger welding mitt lined with wool increases thermal protection for resting hand



**Split Welder**  
4600

ANSI contact heat rated level 3 for temps up to 392 F



**Impact Welder**  
48406

TPR Back Provides ANSI 138 Level 1 Impact Protection



# GRAIN COW - Straight Thumb



### Helping Hand Knowledge:

Straight Thumb design lies straight with the index finger when not in use. Straight thumbs are the most economically priced option since a smaller amount of material is required to produce this style of thumb.



- 3220** Sizes: S-XL
- Premium Grade Grain Cowhide
  - Straight Thumb
  - Rolled Leather Hem
  - Pull Strap



- 3201** Sizes: XS-XXL
- Select Grade Grain Cowhide
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back

## GRAIN COW - Straight Thumb

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3220	Premium Grade	Road Hustler	Straight	Leather	Polyester	2	140°C or 284°F	4	3
3201	Select Grade	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	3	3
3201IN	Select Grade	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	3	3
3203	CV Grade (Competitive Value)	Unbranded	Straight	Cotton	Polyester	X	X	X	X
3202	CV Grade (Competitive Value)	Unbranded	Straight	Cotton	Polyester	X	X	X	X
32013	CV Grade (Competitive Value)	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	3	3



- 32011N** Sizes: S-XL
- Select Grade Grain Cowhide
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3203** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3202** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 32013** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back

# GRAIN COW - Keystone Thumb



## Helping Hand Knowledge:

Keystone Thumb design is an inset thumb which is sewn in as a separate piece. It is reinforced with extra stitching and provides greater comfort, range of motion, and dexterity over gloves manufactured with straight thumbs.



- 3200 Sizes: S-XXL
- Premium Grade Grain Cowhide
  - Keystone Thumb
  - Rolled Leather Hem
  - Shirred Elastic Back



- 3211 Sizes: XS-XXXL
- Select Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back

## GRAIN COW - Keystone Thumb

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3200	Premium Grade	Road Hustler	Keystone	Leather	Polyester	2	140°C or 284°F	4	3
3211	Select Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	X
3211IN	Select Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	3
3213	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	X	X
3215	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	3	2
32113	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	3
32114	CV Grade (Competitive Value)	Unbranded	Keystone	Leather	Kevlar®	2	140°C or 284°F	3	3



- 3213** Sizes: S-XXXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3215** Sizes: S-XXXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 32113** Sizes: S-XXXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 32114** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back
  - FR Threading

# GRAIN COW - Wing Thumb



## Helping Hand Knowledge:

Wing Thumb design is an angled thumb which is sewn out to the side and doesn't include seams, making it the most durable, longest-wearing, and comfortable thumb style available in our line. This thumb style mirrors the natural shape of a person's hand and allows the thumb to move freely.



- 3224 Sizes: S-XL
- Premium Grade Grain Cowhide
  - Wing Thumb
  - Rolled Leather Hem
  - Shirred Elastic Back
  - Sewn with DuPont™ Kevlar® thread



- 3214 Sizes: S-XL
- Select Grade Grain Cowhide
  - Wing Thumb
  - Cotton Hem
  - Shirred Elastic Back

## GRAIN COW - Wing Thumb

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3224	Premium Grade	Road Hustler	Wing	Leather	Kevlar®	2	140°C or 284°F	4	3
3214	Select Grade	Unbranded	Wing	Cotton	Polyester	X	X	X	X
32113DP	CV Grade (Competitive Value) - Double Palm	Unbranded	Wing	Cotton	Polyester	X	X	4	X



**HI-VIS COW - Keystone Thumb:**

Orange fingertips and the "Watch Your Hands" logo serve as a reminder to be safe. By incorporating a "Watch Your Hands" logo on the back of the glove, workers are reminded of the constant hazards faced. Our "Watch Your Hands" lineup includes pigskin leather gloves, goatskin leather gloves, and cowhide leather gloves. We even offer one with a DuPont™ Kevlar® liner for added cut-resistance.



3213HVI Sizes: S-XXXL

- CV Grade Grain Cowhide
- Keystone Thumb
- Cotton Hem
- Orange Fingertips with Orange "Watch Your Hands" logo



3215PI Sizes: S-XXXL

- CV Grade Grain Cowhide
- Keystone Thumb
- Cotton Hem
- Orange Fingertips with Orange "Watch Your Hands" logo



3215HVI Sizes: S-XXL

- CV Grade Grain Cowhide
- Keystone Thumb
- Cotton Hem
- Orange Fingertips with Orange "Watch Your Hands" logo

**HI-VIS COW - Keystone Thumb**

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3213HVI	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	3
3215PI	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	X
3215HVI	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	X	X

# SPLIT GRAIN COW



## Helping Hand Knowledge:

Split back drivers provide you an economical option when compared to a full grain driver. The split texture also allows you to customize the back of the glove with the logo design of your choice.



- 3204 Sizes: XS-XXXL
- Select Grade Grain Cowhide
  - Keystone Thumb
  - Rolled Leather Hem
  - Sewn with DuPont™ Kevlar® thread



- MU3213DP Sizes: S-XXXL
- Select Grade Grain Cowhide
  - Keystone Thumb
  - Rolled Leather Hem
  - Sewn with DuPont™ Kevlar® thread
  - A second layer of premium gray cowhide in the palm and knuckles
  - ARC rating - 52.7 cal/cm<sup>2</sup> (HRC4 / CAT4)
  - Heat Attenuation Factor (HAF) of 94.5%

## SPLIT GRAIN COW

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3204	Select Grade	MCR Safety	Keystone	Leather	Kevlar®	X	X	X	X
MU3213DP	Select Grade	Mustang	Keystone	Leather	Kevlar®	X	X	X	X
32057	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Kevlar®	X	X	X	X
3205	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	X	X
32056	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	X	X
32056DP	CV Grade (Competitive Value) - Double Palm	Unbranded	Wing	Cotton	Polyester	X	X	X	X
32055	CV Grade (Competitive Value) - Patch Palm	Unbranded	Wing	Cotton	Polyester	X	X	4	3



• DUPONT®  
**Kevlar.**



- 32057** Sizes: S-XXXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Sewn with DuPont™ Kevlar® thread
  - Shirred Elastic Back



- 3205** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 32056** Sizes: XS-XXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 32056DP** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Wing Thumb
  - Cotton Hem
  - Rolled Leather Hem
  - Double reinforced thumb crotch, palm and index finger

# GRAIN PIG



## Helping Hand Knowledge:

MCR Safety's pigskin leather gloves are multi-faceted, offering exceptional durability, breathability, and water-resistance. If you look at the image above, you can see the porous texture; this texture makes pigskin the most breathable leather glove you'll find. It is this same texture characteristic that also keeps pigskin gloves flexible after frequent contact with water



### Benefits of Pigskin:

- Offers the best abrasion-resistance and is known for its resilience and holding up well to rough surfaces
- Excellent in wet conditions; quick-drying and leather remains soft
- Offers the best breathability
- Stays pliable and flexible with wear
- Excellent price point for a leather work glove



- 3410 Sizes: S-XL
- Premium Grade Grain Pigskin
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3400 Sizes: S-XL
- Select Grade Grain Pigskin
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back

GRAIN PIG									
Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3410	Premium Grade	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	4	X
3400	Select Grade	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	3	3



- 3402** Sizes: S-XXL
- CV Grade Grain Pigskin
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3411** Sizes: S-XL
- Premium Grade Grain Pigskin
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 34111** Sizes: S-XXL
- Premium Grade Grain Pigskin
  - Keystone Thumb
  - Cotton Hem
  - Orange Mesh Back with Lime Retro-Reflective Material
  - Shirred Elastic Back



- 3413HVI** Sizes: S-XXL
- CV Grade Grain Pigskin
  - Keystone Thumb
  - Cotton Hem
  - Orange Fingertips with Orange "Watch Your Hands" logo
  - Shirred Elastic Back



- 3401** Sizes: S-XXXXL
- Select Grade Grain Pigskin
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3405** Sizes: M-XL
- Select Grade Grain Pigskin
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back

**GRAIN PIG**

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3402	CV Grade (Competitive Value)	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	X	X
3411	Premium Grade	Unbranded	Keystone	Cotton	Polyester	X	X	X	X
34111	Premium Grade - Hi-Vis Back	Unbranded	Keystone	Cotton	Polyester	X	X	X	X
3413HVI	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	X	X	4	X
3401	Select Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	3
3405	Select Grade - Split Back	Unbranded	Keystone	Cotton	Polyester	X	X	X	X

# GRAIN GOAT



## Helping Hand Knowledge:

MCR Safety's goatskin work gloves are naturally thin which allow you to handle delicate parts and materials with precision. In addition to being known for superior tensile strength, the hide also contains natural lanolin which softens the skin of the wearer.

### Benefits of Goatskin:

- Excellent flexibility and tactile sensitivity
- Provides users with the best tensile strength
- Supple because of natural lanolin, keeping your hands soft
- Best water-resistance properties of all leather hides
- Good abrasion- and puncture-resistance



- 3601 Sizes: S-XXXL
- Premium Grade Grain Goat
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back

## GRAIN GOAT

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3601	Premium Grade	Unbranded	Straight	Cotton	Polyester	2	140°C or 284°F	3	3
3603	Select Grade	Unbranded	Straight	Cotton	Polyester	3	200°C or 392°F	4	3
3611	Premium Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	3	3
3613	Select Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	4	3
36336	Select Grade	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	X	X
36133	CV Grade (Competitive Value)	Unbranded	Keystone	Cotton	Polyester	2	140°C or 284°F	4	X
36111	Premium Grade - Hi-Vis	Unbranded	Keystone	Cotton	Polyester	3	200°C or 392°F	X	3



- 3603 Sizes: S-XL
- Select Grade Grain Goat
  - Straight Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3611 Sizes: S-XXL
- Premium Grade Grain Goat
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 3613 Sizes: S-XL
- Select Grade Grain Goat
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 36336 Sizes: S-XXL
- Select Grade Grain Goat
  - Keystone Thumb
  - Cotton Hem
  - Oil Block technology
  - Padded Palm
  - Double stitched, sewn with DuPont™ Kevlar® thread



- 36133 Sizes: M-XXL
- CV Grade Grain Goat
  - Keystone Thumb
  - Cotton Hem
  - Shirred Elastic Back



- 36111 Sizes: S-XL
- Premium Grade Grain Goat
  - Keystone Thumb
  - Cotton Hem
  - Hi-Visibility orange back with silver reflective stripes

# GRAIN GOAT



«DUPONT»  
**Kevlar.**



MU3624 Sizes: M-XXL

- Premium brown goatskin leather
- Wing Thumb
- Rolled Leather Hem
- A second layer of premium brown goatskin in the palm, fingertips thumb crotch, index finger and knuckle
- Double stitched, sewn with DuPont™ Kevlar® thread
- Arc rated 28.6 cal/cm<sup>2</sup> (HRC3/CAT3)
- Heat Attenuation Factor, HAF = 94%
- Shirred elastic around entire wrist

«DUPONT»  
**Kevlar.**



MU3624G Sizes: M-XXL

- Premium brown goatskin leather
- 4 inch gauntlet cuff
- Wing Thumb
- Rolled Leather Hem
- A second layer of premium brown goatskin in the palm, fingertips thumb crotch, index finger and knuckle
- Double stitched, sewn with DuPont™ Kevlar® thread
- Arc rated 28.6 cal/cm<sup>2</sup> (HRC3/CAT3)
- Heat Attenuation Factor, HAF = 94%
- Fourchette panels for enhanced fit
- Shirred elastic wrist



«DUPONT»  
**Kevlar.**



MU3644 Sizes: M-XXL

- Premium brown goatskin leather
- 5 inch split cowhide bell cuff
- Wing Thumb
- Rolled Leather Hem
- A second layer of premium brown goatskin in the palm, fingertips and knuckle
- Double stitched, sewn with DuPont™ Kevlar® thread
- Arc rated 28.6 cal/cm<sup>2</sup> (HRC3/CAT3)
- Shirred elastic around entire wrist

## GRAIN GOAT

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
MU3624G	Premium Grade	Mustang	Wing	Leather	Kevlar®	3	200°C or 392°F	3	3
MU3624	Premium Grade	Mustang	Wing	Leather	Kevlar®	3	200°C or 392°F	3	3
MU3644	Premium Grade	Mustang	Wing	Leather	Kevlar®	3	200°C or 392°F	3	3



- 3313** Sizes: S-XXL
- CV Grade Grain Buffalo
  - Keystone Thumb
  - Rolled Leather Hem
  - Excellent abrasion resistance
  - Good Flexibility
  - Shirred Elastic Back



- 3500** Sizes: S-XXL
- Premium Grade Grain Deerskin
  - Keystone Thumb
  - Rolled Leather Hem
  - Shirred Elastic Back



- 3501** Sizes: S-XL
- Select Grade Grain Deerskin
  - Keystone Thumb
  - Rolled Leather Hem
  - Shirred Elastic Back



- 3505** Sizes: S-XXXL
- Select Grade Grain Deerskin Palm
  - Split Deerskin Back
  - Keystone Thumb
  - Rolled Leather Hem
  - Shirred Elastic Back

**GRAIN BUFFALO**

Style #	Grade	Series	Thumb	Hem	Thread	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3313	CV Grade (Competitive Value)	Unbranded	Keystone	Leather	Polyester	2	140°C or 284°F	4	3

**GRAIN DEER**

3500	Premium Grade	Unbranded	Keystone	Leather	Polyester	X	X	X	X
3501	Select Grade	Unbranded	Keystone	Leather	Polyester	X	X	X	X
3505	Select Grade - Split Back	Unbranded	Keystone	Leather	Polyester	X	X	X	X

# CUT RESISTANT COW



## Understanding ANSI/ISEA 105 2016 Cut Score Gram Levels



Extreme Cut Hazards	A9: 6,000+ grams to cut
Very High Cut Hazards	A8: 5,000 to 5,999 grams to cut
High Cut Hazards	A7: 4,000 to 4,999 grams to cut
Heavy Cut Hazards	A6: 3,000 to 3,999 grams to cut
Medium to Heavy Cut Hazards	A5: 2,200 to 2,999 grams to cut
Medium Cut Hazards	A4: 1,500 to 2,199 grams to cut
Light to Medium Cut Hazards	A3: 1,000 to 1,499 grams to cut
Light Cut Hazards	A2: 500 to 999 grams to cut



- 1717A Sizes: M-XXL
- Premium Side "A" Grade Grain Cowhide
  - Made with Alycore™, Cut and Puncture Palm Resistance
  - 2.75 inch Safety Cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Big Jake leather offers outstanding abrasion resistance
  - Fleece lined, fully in-sewn on thumb and little finger



- 4955H Sizes: M-XL
- CV Grade (Competitive Value) Grain Cowhide
  - HyperMax™ liner for excellent cut protection
  - 4 inch split cowhide leather cuff
  - Wing thumb and wrapped Index finger
  - Sewn with cut resistant thread for durability



- 1400H Sizes: S-XXL
- Select Shoulder "A" Grade Grain Cowhide
  - Aramid/Hero lined
  - 2.5 inch plasticized cuff
  - Wing Thumb
  - Gunn Pattern

## CUT RESISTANT COW

Style #	Grade	Series	Thumb	Lining	ANSI Heat	Heat Range	ANSI CUT	ANSI Abrasion	ANSI Puncture
1717A	Premium Side "A" Grade	Big Jake Cut Pro	Wing	Alycore™	4	260°C or 500°F	A9	3	5
4955H	CV Grade (Competitive Value)	MCR Safety Cut Pro	Wing	ARX™	3	200°C or 392°F	A4	4	3
1400H	Select Shoulder "A" Grade	MCR Safety Cut Pro	Wing	ARX™	X	X	A4	X	X
1700K	Premium Side "A" Grade	Big Jake w Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A3	5	5
1702	Premium Side "A" Grade	Big Jake w Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A3	5	5
1400K	Select Shoulder "A" Grade	Unbranded	Wing	Kevlar® Plaited	4	260°C or 500°F	A3	X	5
3204K	Select Grade	Unbranded	Keystone	Kevlar®	3	200°C or 392°F	A2	4	3



«DUPONT»  
**Kevlar.**



- 1700K Size: XL
- Premium Side "A" Grade Grain Cowhide
  - Non-woven cut resistant Kevlar® lined
  - 2.75 inch safety cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - High quality and craftsmanship



«DUPONT»  
**Kevlar.**



- 1702 Sizes: M-XL
- Premium Side "A" Grade Grain Cowhide
  - Non-Woven DuPont™ Kevlar® Palm lined
  - 2.75 inch Safety Cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



«DUPONT»  
**Kevlar.**



- 1400K Sizes: S-XXL
- Premium Side "A" Grade Grain Cowhide
  - Lined with Dupont™ Kevlar® fibers
  - 2.5 inch plasticized safety cuff
  - Wing Thumb
  - Blue cotton canvas back with black and yellow stripes



«DUPONT»  
**Kevlar.**



- 3204K Sizes: S-XXL
- Select Grade Grain Cowhide
  - 7 Gauge Kevlar® Fiber lined
  - Keystone Thumb
  - Sewn with DuPont™ Kevlar® thread

# CUT RESISTANT GOAT



3601K CUT RESISTANT GOAT									
Style #	Grade	Series	Thumb	Lining	ANSI Heat	Heat Range	ANSI CUT	ANSI Abrasion	ANSI Puncture
3604HP	Select Grade	MCR Safety Cut Pro	Wing	HyperMax™	X	X	A8	4	2
3601SKHV	Premium Grade	MCR Safety Cut Pro	Straight	Kevlar® Steel	3	200°C or 392°F	A6	3	3
3613H	Select Grade	MCR Safety Cut Pro	Keystone	ARX™	3	200°C or 392°F	A4	4	3
3611DT	Premium Grade	MCR Safety Cut Pro	Keystone	Dyneema®	X	X	A4	4	3
4840K	Premium Grade	Red Ram w Cut Pro	Straight	Kevlar®	3	200°C or 392°F	A4	3	3
48406K	Premium Grade	MCR Safety w CutPro	Keystone	Kevlar®	3	200°C or 392°F	A4	3	3
4840K	Premium Grade	Red Ram Cut Pro	Straight	Kevlar®	3	200°C or 392°F	A4	3	3
MU3624GK	Premium Grade	Mustang Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A4	4	4
MU3624K	Premium Grade	Mustang Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A4	4	4
MU3624GFR	Premium Grade	Mustang Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A4	4	4
MU3624FR	Premium Grade	Mustang Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A4	4	4
3601K	Premium Grade	MCR Safety Cut Pro	Straight	Kevlar®	2	140°C or 284°F	A3	3	3
4850K	Premium Grade	Blue Beast w Cut Pro	Wing	Kevlar®	2	140°C or 284°F	A3	3	3



- 3604HP** Sizes: M-XXL
- Select Grade Grain Goatskin
  - Lined with HyperMax®
  - Wing Thumb
  - Shirred Elastic Back



- 4840K** Sizes: M-XXL
- Premium Grade Grain Goatskin
  - Lined with DuPont™ Kevlar®
  - 6 inch russet split cow cuff
  - Straight Thumb
  - Exceptional durability
  - Greater softness for sense of touch



- MU3624K** Sizes: M-XXL
- Premium Grade Grain Goatskin
  - 13 gauge DuPont™ Kevlar® lined
  - Wing style thumb
  - Double stitched, sewn with DuPont™ Kevlar® thread
  - Fourchette panels for enhanced fit
  - Arc rating of 61.4 cal/cm<sup>2</sup> (HRC4 / CAT4)
  - Shirred elastic around entire wrist



- MU3624GFR** Sizes: M-XL
- Premium Grade Grain Goatskin
  - Lined with DuPont™ Kevlar®
  - Nomex® back of hand
  - 2.5 inch cuff
  - Wing Thumb
  - Double stitched, sewn with DuPont™ Kevlar® thread
  - Arc rated 24.7 cal/cm<sup>2</sup> (HRC2 / CAT2)
  - Heat Attenuation Factor, HAF = 91.3%
  - Shirred elastic around entire wrist



- 3601K** Sizes: S-XXXL
- Premium Grade Grain Goatskin
  - 13 Gauge DuPont™ Kevlar® / Synthetic Liner
  - Straight Thumb
  - Arc rated 37.5 cal/cm<sup>2</sup> (HRC3 / CAT3)
  - Shirred Elastic Back



- 4850K** Sizes: S-XXL
- Premium Grade Grain Goatskin
  - lined and Sewn with DuPont™ Kevlar® fibers
  - 4.5 inch blue split cow leather cuff
  - Wing Thumb
  - Greater softness for sense of touch

# CUT & IMPACT RESISTANT GOAT



<b>MC503</b>		<b>CUT &amp; IMPACT RESISTANT GOAT</b>							
<i>Style #</i>	<i>Grade</i>	<i>Series</i>	<i>Thumb</i>	<i>Lining</i>	<i>ANSI Heat</i>	<i>Heat Range</i>	<i>ANSI CUT</i>	<i>ANSI Abrasion</i>	<i>ANSI Puncture</i>
MC503	Premium Grade	UltraTech Cut Pro	Wing	Dyneema®	X	X	A5	4	3
36336K	Select Grade	MCR Safety Cut Pro	Keystone	Kevlar®	3	200°C or 392°F	A5	X	3
36136HP	Select Grade	MCR Safety Cut Pro	Keystone	HyperMax™	X	X	A5	3	3
36136KDP	Select Grade	MCR Safety Cut Pro	Keystone	Kevlar®	3	200°C or 392°F	A5	4	X
MU3634K	Premium Grade	Mustang Cut Pro	Wing	Kevlar®	3	200°C or 392°F	A4	4	4
48406K	Premium Grade	MCR Safety Cut Pro	Keystone	Kevlar®	3	200°C or 392°F	A4	3	3



- MC503** Sizes: S-XXL
- Premium Grade Grain Goatskin palm
  - Lined with DSM Dyneema® Diamond Technology
  - Wing Thumb with Reinforced Thumb Crotch
  - Excellent Cut Resistance
  - Open Cuff with Pull Tab and ID panel on the wrist



«DUPONT»  
**Kevlar.**



- 36336K** Sizes: S-XXL
- Select Grade Grain Goatskin
  - Lined with DuPont™ Kevlar®
  - Keystone thumb
  - Oil Block technology
  - Padded Palm
  - Double stitched, sewn with DuPont™ Kevlar® thread



- 36136HP** Sizes: M-XL
- Select Grade Grain Goatskin
  - Lined with HyperMax™
  - Keystone Thumb
  - TPR back for added impact protection



«DUPONT»  
**Kevlar.**



- 36136KDP** Sizes: S-XXL
- Select Grade Grain Goatskin
  - Lined with DuPont™ Kevlar®
  - Keystone Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Hi-Vis Orange TPR Back
  - Double Palm padding adds greater abrasion resistance



«DUPONT»  
**Kevlar.**



- MU3634K** Sizes: M-XXL
- Double layer of Premium Grade Grain Goatskin
  - Lined with DuPont™ Kevlar®
  - Wing Thumb
  - Double stitched, sewn with DuPont™ Kevlar® thread
  - Shirred elastic around entire wrist



«DUPONT»  
**Kevlar.**



- 48406K** Sizes: M-XL
- Premium Grade Grain Goatskin
  - 5 inch brown split cow leather cuff
  - Keystone Thumb
  - Lined and sewn with DuPont™ Kevlar®
  - Padded palm

# INSULATED GRAIN LEATHER



## INSULATED GRAIN LEATHER

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3250	Premium Grade	MCR Safety	Cow	Straight	Fleece	X	X	X	X
MU36211	Premium Grade	Mustang	Goat	Wing	Fleece	3	200°C or 392°F	3	3
3450	Premium Grade	Artic Jack	Pig	Keystone	Fleece	X	X	X	X
3260	Premium Grade	MCR Safety	Cow	Straight	Foam	X	X	X	X
1965	Premium Grade	Artic Jack	Pig	Wing	Thermosock®	X	X	X	X
1966	Premium Grade	Artic Jack	Pig	Wing	Thermosock®	X	X	X	X
3440	Premium Grade	MCR Safety Luminator	Pig	Wing	Thermosock®	X	X	X	X
3460	Premium Grade	Artic Jack	Pig	Keystone	Thermosock®	X	X	X	X
34411	Premium Grade	MCR Safety Luminator	Pig	Wing	Thermosock®	X	X	X	X
49653	Premium Grade	Unbranded	Pig	Straight	Wool	X	X	4	3
1925W	Premium Grade	Artic Jack	Pig	Wing	Wool	X	X	X	X



- 3250 Sizes: S-XL
- Premium Grade Grain Cowhide
  - Straight Thumb
  - Shirred Elastic Back
  - Red Fleece lined



- MU36211 Sizes: M-XXL
- Premium Grade Grain Goatskin
  - Wing Thumb
  - Double stitched, sewn with DuPont™ Kevlar® thread
  - Waterproof bladder
  - Shirred elastic wrist
  - Fleece lined for protection from the cold

INSULATED GRAIN LEATHER



- 3450 Sizes: S-XL
- Premium Grade Grain Pigskin
  - Keystone Thumb
  - Shirred Elastic Back
  - Red Fleece lined



- 1965 Sizes: M-XXL
- Premium Grade Grain Pigskin
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Full Sock Thermosock® lined



- 3440 Size: M-XL
- Premium Grade Grain Pigskin
  - Wing Thumb
  - Knit Wrist
  - Orange Material Back with Silver Retro-Reflective Material
  - Thermosock® lined



- 34411 Size: S-XL
- Premium Grade Grain Pigskin
  - Wing Thumb
  - Knit Wrist
  - Orange and Lime Back with Silver Reflective Material
  - Thermosock® lined

# INSULATED GRAIN LEATHER



19261 INSULATED GRAIN LEATHER									
Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3750	Premium Grade - Synthetic	Unbranded	Synthetic	Keystone	Fleece	X	X	X	X
19251	Select Grade	MCR Safety Luminator	Pig	Wing	Fleece	X	X	X	X
1970	Select Grade	Artic Jack	Pig	Wing	Thermal	X	X	X	X
19261	Select Grade	MCR Safety Luminator	Pig	Wing	Thermosock®	X	X	X	X
3555	Select Grade - Split Back	MCR Safety	Deer	Keystone	Fleece	X	X	X	X
3255	CV Grade (Competitive Value)	Unbranded	Cow	Straight	Fleece	X	X	X	X
3452	CV Grade (Competitive Value)	Unbranded	Pig	Straight	Fleece	X	X	X	X
3451	CV Grade (Competitive Value)	Unbranded	Pig	Keystone	Fleece	X	X	X	X
3280	CV Grade (Competitive Value)	Unbranded	Cow	Keystone	Thermal	X	X	X	X
32801	CV Grade (Competitive Value)	Unbranded	Cow	Keystone	Thermal	2	140°C or 284°F	3	3
3266	CV Grade (Competitive Value)	Unbranded	Cow	Keystone	Thermosock®	X	X	X	X
32013T	CV Grade (Competitive Value)	Unbranded	Cow	Straight	Thinsulate	X	X	3	X
3313T	CV Grade (Competitive Value)	Unbranded	Buffalo	Keystone	Thinsulate	2	140°C or 284°F	3	3



- 3750** Sizes: S-XL
- Premium Grade Grain Synthetic
  - Keystone Thumb
  - Shirred Elastic Back
  - Red Fleece lined



- 1970** Sizes: S-XXL
- Select Grade Grain Pigskin
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Black Fabric Back
  - Full Sock Thermal lined



- 19261** Sizes: S-XL
- Select Grade Grain Pigskin
  - 2.5 inch Safety Cuff
  - Wing Thumb
  - Orange Back
  - Retro-Reflective Glass Bead Knuckles and Cuff
  - Thermosock® lined



- 3555** Sizes: M-XL
- Select Grade Grain Deerskin
  - Keystone Thumb
  - Split Deerskin Back
  - Rolled Leather Hem
  - Red Fleece lined



- 3451** Sizes: S-XXL
- CV Grade Grain Pigskin
  - Keystone Thumb
  - Shirred Elastic Back
  - Red Fleece lined



- 3280** Sizes: S-XXL
- CV Grade Grain Cowhide
  - Keystone Thumb
  - Shirred Elastic Back
  - Thermal lined

# Insulated Split Leather



## INSULATED SPLIT LEATHER

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
3150	Select Side "A" Grade	Unbranded	Cow	Straight	Fleece	X	X	X	X
3170	Select Side "A" Grade	Unbranded	Cow	Keystone	Pile	X	X	X	X
1956	Select Side "A" Grade	Artic Jack	Pig	Wing	Thermosock®	X	X	X	X
1955	Select Side "A" Grade	Artic Jack	Pig	Wing	Thermosock®	X	X	X	X
1320	Select Shoulder "B" Grade	Unbranded	Cow	Wing	Thermosock®	X	X	X	X
1450	Select Shoulder "A" Grade	Unbranded	Cow	Wing	Foam	X	X	X	X
1205	Competitive Value "C" Grade	Unbranded	Cow	Wing	Fleece	X	X	X	X



- 3150** Sizes: M-XXL
- Select Side "A" Grade Grain Cowhide
  - Straight Thumb
  - Red Fleece lined



- 3170** Sizes: S-XXL
- Select Side "A" Grade Grain Cowhide
  - Keystone Thumb
  - Shirred Elastic back
  - Acrylic Pile lined



- 1956** Sizes: S-XL
- Select Side "A" Grade Grain Pigskin
  - Wing Thumb
  - Elastic wrist
  - Blue fabric back
  - Thermosock® lined



- 1955** Sizes: S-XL
- Select Side "A" Grade Grain Pigskin
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Full Sock Thermosock® lined



- 1320** Size: L
- Select Shoulder "B" Grade Grain Cowhide
  - 2.5 inch rubberized safety cuff
  - Wing Thumb
  - Shirred Elastic back
  - Thermosock® lined



- 1450** Size: L
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch plasticized safety cuff
  - Wing Thumb
  - Shirred Elastic back
  - Foam lined

# GRAIN LEATHER PALMS



1940 GRAIN LEATHER PALMS									
Style #	Grade	Series	Leather	Thumb	Cuff	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
1940	Premium Grade	Mustang	Goat	Wing	2.5"	X	X	X	X
1936	Premium Grade	Mustang	Cow	Wing	4.5"	2	140°C or 284°F	3	3
1935	Premium Grade	Mustang	Cow	Wing	2.5"	2	140°C or 284°F	3	3
1925	Premium Grade	Mustang	Pig	Wing	2.5"	X	X	X	X
1933	CV Grade (Competitive Value)	Unbranded	Cow	Wing	4.5"	X	X	X	X
1931	CV Grade (Competitive Value)	Unbranded	Cow	Wing	2.5"	X	X	3	X
1930	CV Grade (Competitive Value)	Unbranded	Cow	Wing	2.5"	X	X	X	X
1921	CV Grade (Competitive Value)	Unbranded	Pig	Wing	2.5"	X	X	X	X
1960	CV Grade (Competitive Value)	Unbranded	Pig	Wing	2.5"	X	X	X	X



- 1940** Sizes: M-XL
- Premium Grade Grain Goat
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Shirred Elastic Red Fabric Back
  - Jersey Palm lined



- 1936** Sizes: M-XL
- Premium Grade Grain Cowhide
  - 4.5 inch Rubberized Gauntlet Cuff
  - Wing Thumb
  - Shirred Elastic back



- 1935** Sizes: S-XL
- Premium Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Shirred Elastic back



- 1925** Sizes: S-XL
- Premium Grade Grain Pigskin
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Shirred Elastic back
  - Fleece lined Palm



- 1933** Size: L
- CV Grade Grain Cowhide
  - 4.5 inch Rubberized Gauntlet Cuff
  - Wing Thumb
  - Shirred Elastic back



- 1931** Size: L
- CV Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Shirred Elastic back

# SPLIT LEATHER SINGLE PALMS



## Helping Hand Knowledge:

**Helping Hand knowledge:**  
Leather palm work gloves utilize split leather, which is thick and offers heavy-duty protection.

Workers who need excellent abrasion-resistance, puncture-resistance, and heat-resistance, turn to a leather palm work glove

that holds up to all three. MCR Safety's leather palm work gloves are designed to withstand some of the toughest jobs. Think of someone splitting and stacking firewood. A day's work will quickly destroy a thin piece of leather. Or, consider someone carrying large and bulky items all day long. A glove must be able to withstand the wear and tear caused by these heavier-duty activities.

- Higher puncture-resistance than grain leather
- High heat-resistance for working around hot objects
- Highly abrasion-resistant due to the dense fibers
- A higher degree of water-resistance as compared to grain leather



1700 SPLIT LEATHER SINGLE PALMS									
Style #	Grade	Series	Leather	Thumb	Cuff	Back	ANSI Heat	Heat Range	ANSI Abrasion
1700	Premium Side "A" Grade	Big Jake	Cow	Wing	2.75"	Knuckle Strap	2	140°C or 284°F	4
1710	Premium Side "A" Grade	Big Jake	Cow	Wing	4.50"	Knuckle Strap	2	140°C or 284°F	4
1730	Premium Side "A" Grade	Big Jake	Cow	Wing	4.50"	Knuckle Strap	X	X	4
1713	Premium Side "A" Grade	Big Jake	Cow	Wing	2.75"	3/4 Leather	2	140°C or 284°F	4
1714	Premium Side "A" Grade	Big Jake	Cow	Wing	4.50"	3/4 Leather	2	140°C or 284°F	4
1717	Premium Side "A" Grade	Big Jake	Cow	Wing	2.75"	Full Leather	X	X	4
1718	Premium Side "A" Grade	Big Jake	Cow	Wing	4.50"	Full Leather	X	X	4
1760	Premium Side "A" Grade	Big Jake	Cow	Wing	4.50"	TPR-Leather	X	X	4
1952	Select Side "A" Grade	Mustang	Pig	Wing	2.50"	Knuckle Strap	X	X	X
1950	Competitive Value "C" Grade	Mustang	Pig	Wing	2.50"	Knuckle Strap	X	X	X
1900	Select Side "A" Grade	SideKick	Cow	Wing	2.75"	Knuckle Strap	X	X	X
1910	Select Side "A" Grade	SideKick	Cow	Wing	4.50"	Knuckle Strap	X	X	X
16010	Select Side "A" Grade	SideKick	Cow	Wing	2.50"	Knuckle Strap	2	140°C or 284°F	4
16010LN	Select Side "A" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	2	140°C or 284°F	4
16011	Select Side "A" Grade	SideKick	Cow	Wing	4.50"	Knuckle Strap	2	140°C or 284°F	4
16017	Select Side "A" Grade	SideKick	Cow	Wing	2.50"	Full Leather	2	140°C or 284°F	4



**Kevlar**



- 1700 Sizes: S-XXL
- Premium Side "A" Grade Grain Cowhide
  - 2.75 inch Safety Cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Full feature gunn pattern



**Kevlar**



- 1710 Sizes: M-XL
- Premium Side "A" Grade Grain Cowhide
  - 4.5 inch Safety cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Full feature gun pattern
  - Private label imprint program available



**Kevlar**



- 1730 Sizes: L-XL
- Premium Side "A" Grade Grain Cowhide
  - 4.5 inch Duck Cuff for Laundering
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



- 1952 Sizes: XS-XL
- Select Side "A" Grade Grain Pigskin
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Shirred Elastic back
  - Fleece Palm lined
  - Cool and Comfortable, easy to wear



**Kevlar**



- 1900 Sizes: M-XL
- Select Side "A" Grade Grain Cowhide
  - Durable 2.75 inch rubberized safety cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Full featured gunn pattern



**Kevlar**



- 16010 Sizes: S-XL
- Select Side "A" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Sewn With DuPont™ Kevlar®

# SPLIT LEATHER SINGLE PALMS



- 1680 Size: L
- Select Side "A" Grade Grain Cowhide
  - Durable 2.5 inch rubberized safety cuff
  - Wing Thumb
  - Full featured gunn pattern
  - Yellow fabric back
  - Shirred Elastic Back



- 1500K Sizes: M-XL
- Select Side "A" Grade Grain Cowhide
  - Durable 2.5 inch rubberized safety cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Cotton canvas back

## SPLIT LEATHER SINGLE PALMS

Style #	Grade	Series	Leather	Thumb	Cuff	Back	ANSI Heat	Heat Range	ANSI Abrasion
1680	Select Side "A" Grade	SideKick	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	X
1690	Select Side "A" Grade	SideKick	Cow	Wing	4.50"	Knuckle Strap	3	200°C or 392°F	X
1500K	Select Side "B" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	4
1440L	Select Shoulder "A" Grade	Luminator sewn Tag	Cow	Wing	2.50"	Hi-Vis	X	X	X
1400A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	4
1420A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	Knit Wrist	Knuckle Strap	X	X	X
1400LH	Select Shoulder "A" Grade - LH Only	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1400RH	Select Shoulder "A" Grade - RH Only	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1410A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	X	X	X
1413A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	2.50"	3/4 Leather	X	X	X
1414A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	4.50"	3/4 Leather	X	X	X
1417A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	2.50"	Full Leather	X	X	X
1418A	Select Shoulder "A" Grade	Unbranded	Cow	Wing	4.50"	Full Leather	X	X	X
1310	Select Shoulder "B" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	3	200°C or 392°F	4
1300	Select Shoulder "B" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	4
1318	Select Shoulder "B" Grade	Unbranded	Cow	Wing	4.50"	Full Leather	X	X	X



- 1440L Sizes: S-XXXL
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb



- 1400A Sizes: S-XXXL
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch Plasticized Safety Cuff
  - Wing Thumb



- 1410A Size: L
- Select Shoulder "A" Grade Grain Cowhide
  - 4.5 inch Plasticized Gauntlet Cuff
  - Wing Thumb



- 1413A Size: L
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch Plasticized Safety Cuff
  - Wing Thumb
  - 3/4 leather back



- 1417A Sizes: M-XXL
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch Plasticized Safety Cuff
  - Wing Thumb
  - Full leather back



- 1300 Sizes: S-XL
- Select Shoulder "B" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Blue Fabric with Red / Black Stripes

# SPLIT LEATHER SINGLE PALMS



<b>SPLIT LEATHER SINGLE PALMS</b>									
<b>Style #</b>	<b>Grade</b>	<b>Series</b>	<b>Leather</b>	<b>Thumb</b>	<b>Cuff</b>	<b>Back</b>	<b>ANSI Heat</b>	<b>Heat Range</b>	<b>ANSI Abrasion</b>
1317	Select Shoulder "B" Grade	Unbranded	Cow	Wing	2.50"	Full Leather	X	X	X
1350	Select Shoulder "B" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	4
1360	Select Shoulder "B" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	3	200°C or 392°F	4
1370	Select Shoulder "B" Grade	Unbranded	Cow	Wing	2.50"	Full Leather	X	X	X
1380	Select Shoulder "B" Grade	Unbranded	Cow	Wing	4.50"	Full Leather	X	X	X
1400B	Select Shoulder "B" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1240	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1270B	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1230	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	X
1231	Competitive Value "C" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	3	200°C or 392°F	X
1237	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Full Leather	X	X	X
1210	Competitive Value "C" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	3	200°C or 392°F	X
1250C	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	4
1200	Competitive Value "C" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	4
1235K	Competitive Value "C" Grade	Unbranded	Cow	Wing	Knit Wrist	Knuckle Strap	X	X	X
1150	Competitive Value "C" Grade	Unbranded	Cow	Wing	Knit Wrist	Clute	X	X	X
12440R	Competitive Value "D" Grade	Unbranded	Cow	Wing	2.50"	Hi-Vis	X	X	X
12011	Competitive Value "D" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	X	X	X
12010	Competitive Value "D" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	2	140°C or 284°F	X
1200S	Competitive Value "D" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	X
1201S	Competitive Value "D" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	3	200°C or 392°F	X
1210S	Competitive Value "D" Grade	Unbranded	Cow	Wing	4.50"	Knuckle Strap	X	X	4
1030	Competitive Value "D" Grade	Unbranded	Cow	Wing	Knit Wrist	Clute	X	X	X
1040	Competitive Value "D" Grade	Unbranded	Cow	Wing	Knit Wrist	Clute	X	X	X
1042	Competitive Value "D" Grade	Unbranded	Cow	Wing	Knit Wrist	Clute	X	X	X
1080	Competitive Value "D" Grade	Unbranded	Cow	Wing	2.50"	Clute	X	X	X
1220DX	Competitive Value "E" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1220D	Competitive Value "E" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1220SX	Competitive Value "E" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X
1220S	Competitive Value "E" Grade	Unbranded	Cow	Wing	2.50"	Knuckle Strap	X	X	X



- 1230** Sizes: S-XL
- Competitive Value "C" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Green Fabric with Pink Stripes



- 1200** Sizes: L-XXL
- Competitive Value "C" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Gray Fabric with Red Stripe Back



- 12010** Sizes: S-XL
- Competitive Value "D" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Assorted fabric color



- 1200S** Sizes: L-XL
- Competitive Value "D" Grade Grain Cowhide
  - 2.5 inch Starched Safety Cuff
  - Wing Thumb
  - Striped Fabric Back



- 1040** Size: L
- Competitive Value "D" Grade Grain Cowhide
  - Wing Thumb
  - Comfortable clute style
  - Cool cotton back
  - Palm lined



- 1220S** Size: L
- Competitive Value "E" Grade Grain Cowhide
  - 2.5 inch Starched Safety Cuff
  - Wing Thumb
  - Striped Cotton Fabric Back
  - Assorted Colors

# SPLIT LEATHER DOUBLE PALMS



1745		SPLIT LEATHER DOUBLE PALMS							
Style #	Grade	Series	Double Palm	Cuff	Back	ANSI Heat	Heat Range	ANSI Abrasion	
1711	Premium Side "A" Grade	Big Jake	Palm, Index, Thumb	2.75"	Knuckle Strap	5	320°C or 608°F	X	
1712	Premium Side "A" Grade	Big Jake	Palm, Index, Thumb	4.50"	Knuckle Strap	5	320°C or 608°F	X	
1715P	Premium Side "A" Grade	Big Jake	Palm, All Fingers	2.75"	Knuckle Strap	X	X	X	
1716P	Premium Side "A" Grade	Big Jake	Palm, All Fingers	4.50"	Knuckle Strap	X	X	X	
1715	Premium Side "A" Grade	Big Jake	Palm, 3 Fingers, Thumb	2.75"	Knuckle Strap	X	X	X	
1716	Premium Side "A" Grade	Big Jake	Palm, 3 Fingers, Thumb	4.50"	Knuckle Strap	X	X	X	
1735	Premium Side "A" Grade	Big Jake	Palm, Index, Thumb	2.75"	Full Leather	X	X	X	
1745	Premium Side "A" Grade	Big Jake	Inner Double Palm	2.50"	Full Leather	5	320°C or 608°F	4	
1746	Premium Side "A" Grade	Big Jake	Inner Double Palm	8.00"	Full Leather	5	320°C or 608°F	4	
1911	Select Side "A" Grade	SideKick	Palm, Index, Thumb	2.75"	Knuckle Strap	X	X	X	
16012	Select Side "A" Grade	SideKick	Palm, Index, Thumb	2.50"	Knuckle Strap	X	X	X	
16025	Select Side "A" Grade	SideKick	Palm, 3 Fingers, Thumb	2.50"	Knuckle Strap	X	X	X	



- All Big Jake® styles have CE approval and will be labeled with CE test results
- Sewn with DuPont™ Kevlar® thread



• DUPONT®  
**Kevlar.**

- 1715 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - 2.75 inch rubberized safety cuff
  - Wing Thumb
  - Double Palm and Fingers
  - Absorbent Fleece lined, fully in-sewn on thumb and little finger
  - Cotton canvas back



• DUPONT®  
**Kevlar.**

- 1716 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - 4.5 inch rubberized safety cuff
  - Wing Thumb
  - Double Palm and Fingers
  - Absorbent Fleece lined, fully in-sewn on thumb and little finger
  - Cotton canvas back



• DUPONT®  
**Kevlar.**

- 1735 Sizes: M-XL
- Full Premium Side "A" Grade Grain Cowhide
  - 2.75 inch rubberized safety cuff
  - Straight Thumb
  - Double palm and fingers, full leather back, reinforced thumb crotch
  - Absorbent Fleece lined, fully in-sewn on thumb and little finger



• DUPONT®  
**Kevlar.**  
CUT A2 ABR 4 PUNY 5 HEAT 5

- 1745 Sizes: S-XL
- Full Premium Side "A" Grade Grain Cowhide
  - 2.5 inch Safety Cuff
  - Straight thumb
  - Double reinforced thumb crotch, palm, Index finger and middle finger
  - Absorbent Fleece lined



• DUPONT®  
**Kevlar.**  
CUT A2 ABR 4 PUNY 5 HEAT 5

- 1746 Sizes: S-XL
- Full Premium Side "A" Grade Grain Cowhide
  - 8 inch leather bell cuff with hook and loop adjustability
  - Straight Thumb
  - Double reinforced thumb crotch, palm, Index finger and middle finger
  - Absorbent Fleece lined



• DUPONT®  
**Kevlar.**  
PUNY 5

- 16012 Sizes: M-XL
- Select Side "A" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Double Leather Palm
  - Sewn with DuPont™ Kevlar® thread

# SPLIT LEATHER DOUBLE PALMS



1412A		SPLIT LEATHER DOUBLE PALMS						
Style #	Grade	Series	Double Palm	Cuff	Back	ANSI Heat	Heat Range	ANSI Abrasion
14401DPL	Select Shoulder "A" Grade	Luminator sewn Tag	Palm, Index, Thumb	2.50"	Hi-Vis	X	X	X
1411A	Select Shoulder "A" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	4	260°C or 500°F	X
1412A	Select Shoulder "A" Grade	Unbranded	Palm, Index, Thumb	4.50"	Knuckle Strap	4	260°C or 500°F	X
1311	Select Shoulder "B" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	4	260°C or 500°F	X
1312	Select Shoulder "B" Grade	Unbranded	Palm, Index, Thumb	4.50"	Knuckle Strap	4	260°C or 500°F	X
1361	Select Shoulder "B" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	4	260°C or 500°F	X
1362	Select Shoulder "B" Grade	Unbranded	Palm, Index, Thumb	4.50"	Knuckle Strap	4	260°C or 500°F	X
1230DP	Competitive Value "C" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	X	X	X
1212	Competitive Value "C" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	X	X	X
12010DP	Competitive Value "D" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	X	X	X
1201DP	Ladies - Competitive Value "C" Grade	Unbranded	Palm, Index, Thumb	3.50"	Knuckle Strap	X	X	X
1211	Competitive Value "C" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	X	X	X
1211J	Competitive Value "C" Grade	Unbranded	Palm, Index, Thumb	2.50"	Knuckle Strap	4	260°C or 500°F	3



- 1411A Sizes: S-XXL
- Select Shoulder "A" Grade Grain Cowhide
  - 2.5 inch Plasticized Safety Cuff
  - Wing Thumb
  - Double Palm



- 1412A Size: L
- Select Shoulder "A" Grade Grain Cowhide
  - 4.5 inch Plasticized Safety Cuff
  - Wing Thumb
  - Double reinforced thumb crotch, palm and index finger



- 1311 Sizes: L-XL
- Select Shoulder "B" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Double reinforced thumb crotch, palm and index finger
  - Blue Fabric with Red/Black Stripes



- 12010DP Size: L
- Competitive Value "D" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Double reinforced thumb crotch, palm and index finger
  - Absorbent fleece lined



- 1211 Sizes: L-XL
- Competitive Value "C" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Double reinforced thumb crotch, palm and index finger



- 1211J Size: L
- Competitive Value "C" Grade Grain Cowhide
  - 2.5 inch Rubberized Safety Cuff
  - Wing Thumb
  - Jointed Double Palm
  - Double reinforced thumb crotch, palm and index finger



## GRAIN WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4850	Premium Grade	Blue Beast	Goat	Wing	Unlined	2	140°C or 284°F	3	3
4901	Premium Grade	MCR Safety	Cow	Wing	Fleece	X	X	X	X
49751	Premium Grade	MCR Safety	Elk	Straight	Foam & Cotton	5	320°C or 608°F	X	5
49750	Premium Grade	MCR Safety	Elk	Straight	Foam & Cotton	5	320°C or 608°F	X	5
48406T	Premium Grade	MCR Safety	Goat	Keystone	Thinsulate®	3	200°C or 392°F	3	3
48406	Premium Grade	MCR Safety	Goat	Keystone	Unlined	3	200°C or 392°F	3	3
4892	Premium Grade	MCR Safety	Goat	Keystone	Unlined	X	X	X	X
4891	Premium Grade	MCR Safety	Goat	Keystone	Unlined	X	X	X	X
4890	Premium Grade	MCR Safety	Goat	Wing	Unlined	X	X	3	2
4860	Premium Grade	MCR Safety	Goat	Wing	Unlined	X	X	X	X
49600	Premium Grade	MCR Safety	Pig	Wing	Unlined	3	200°C or 392°F	X	X



**Kevlar**



- 4850 Sizes: M-XXL
- Premium Grade Grain Goatskin
  - 4.5 inch blue split cow leather cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Greater softness for sense of touch
  - Large Left Hand (4850LH) and Large Right Hand (4850RH)



**Kevlar**



- 4901 Sizes: M-XL
- Premium Grade Grain Cowhide
  - 4.5 inch grain leather gauntlet cuff
  - Fleece lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



**Kevlar**



- 49750 Sizes: M-XL
- Premium Grade Grain Elkskin
  - 5 inch split cowhide bell cuff
  - Fleece lined
  - Reinforced Straight Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Reversed grain palm for greater comfort against the hand
  - Drag patch for additional heat and abrasion protection



**Kevlar**



- 48406 Sizes: M-XL
- Premium Grade Grain Goatskin
  - 11 inch total length including a 5 inch cowhide cuff
  - Keystone Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Padded palm



**Kevlar**



- 4891 Sizes: M-XL
- Premium Grade Grain Goatskin
  - 13 inch total length including a 4.5 inch cowhide cuff
  - Keystone Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Top Grain drag patch
  - Padded palm



**Kevlar**



- 49600 Size: L
- Premium Grade Grain Pigskin
  - 4.5 inch cowhide gauntlet cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread

# GRAIN WELDERS



## GRAIN WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4950	Premium Grade	Mustang	Cow	Wing	Unlined	2	140°C or 284°F	X	X
4940	Premium Grade	Mustang	Cow	Straight	Unlined	X	X	X	X
4984	Premium Grade	Mustang	Deer	Straight	Unlined	X	X	X	X
4982	Premium Grade	Mustang	Deer	Straight	Unlined	X	X	X	X
4853	Premium Grade	Mustang	Goat	Wing	Kevlar® Felt	2	140°C or 284°F	X	X
MU3644	Premium Grade	Mustang	Goat	Wing	Unlined	3	200°C or 392°F	3	3
MU3624	Premium Grade	Mustang	Goat	Wing	Unlined	3	200°C or 392°F	3	3
MU36211	Premium Grade	Mustang	Goat	Wing	Fleece	3	200°C or 392°F	3	3
4921	Premium Grade	Red Ram	Cow	Wing	Cotton	X	X	X	X
4900	Premium Grade	Red Ram	Goat	Straight	Unlined	2	140°C or 284°F	3	3
4840	Premium Grade	Red Ram	Goat	Straight	Unlined	2	140°C or 284°F	3	3
4800	Premium Grade	Red Ram	Goat	Straight	Unlined	X	X	X	X
49610	Premium Grade	Red Ram	Pig	Straight	Unlined	X	X	X	X
49653	Premium Grade	Unbranded	Pig	Straight	Wool	X	X	4	3



- 4950 Sizes: S-XL
- Premium Grade Grain Cowhide
  - 4.5 inch split cowhide gauntlet cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4940 Sizes: S-XL
- Premium Grade Grain Cowhide
  - 5 inch split cowhide bell cuff
  - Straight Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4984 Sizes: M-XL
- Premium Grade Grain Deerskin
  - 4.5 inch split cowhide safety cuff
  - Straight Thumb
  - Sewn with DuPont™ Kevlar® thread



- MU3644 Sizes: M-XXL
- Premium Grade Grain Goatskin
  - A second layer of premium brown goatskin in the palm, fingertips and knuckle
  - 5 inch cowhide bell cuff
  - Wing style thumb
  - 28.6 cal/cm<sup>2</sup> (HRC2/CAT2)
  - Sewn with DuPont™ Kevlar® thread
  - Shirred elastic around entire wrist



- 4900 Sizes: XS-XXXL
- Premium Grade Grain Goatskin
  - 2.5 inch grain goat band top
  - Straight Thumb



- 4840 Sizes: S-XL
- Premium Grade Grain Goatskin
  - 5 inch cowhide cuff
  - Straight Thumb
  - Sewn with DuPont™ Kevlar®



## GRAIN WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4956	Select Grade - Canada Only	MCR Safety	Cow	Wing	Thinsulate®	X	X	X	X
4954	Select Grade - Canada Only	MCR Safety	Cow	Wing	Jersey	X	X	X	X
4900LN	Select Grade	MCR Safety	Cow	Wing	Cotton	X	X	X	X
4952	Select Grade	MCR Safety	Cow	Wing	Unlined	2	140°C or 284°F	X	3
4903	Select Grade	MCR Safety	Cow	Wing	Unlined	X	X	X	X
4902	Select Grade	MCR Safety	Cow	Straight	Unlined	X	X	X	X
4960	Select Grade	MCR Safety	Cow	Wing	Unlined	2	140°C or 284°F	X	X
MU3213DP	Select Grade	Mustang	Cow	Keystone	Unlined	X	X	X	X
4955	CV Grade (Competitive Value)	MCR Safety	Cow	Wing	Unlined	X	X	X	X



- 4900LN Size: L
- Select Grade Grain Cowhide
  - 4.5 inch duck gauntlet cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Cotton knitted fabric palm lined



- 4952 Sizes: M-XL
- Select Grade Grain Cowhide
  - 4.5 inch split cowhide gauntlet cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4903 Size: M-XL
- Select Grade Grain Cowhide
  - Russet split safety cuff
  - Wing Thumb
  - Shirred Elastic Back



- 4902 Size: L
- Select Grade Grain Cowhide
  - 4.5 inch gauntlet canvas PE cuff
  - Straight Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4960 Sizes: M-XL
- Select Grade Grain Cowhide
  - 4 inch brown split cow leather cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Split leather back
  - Top Grain drag patch



- 4955 Sizes: M-XL
- CV Grade Grain Cowhide
  - 4 inch brown split cow leather gauntlet cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread

# SPLIT WELDERS



## SPLIT WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4740	Premium Side "A" Grade	Mustang	Cow	Straight	Cotton	X	X	X	X
4700	Premium Side "A" Grade	Mustang	Cow	Wing	Cotton	3	200°C or 392°F	X	5
4622	Premium Side "A" Grade	Mustang	Cow	Wing	Foam	X	X	X	5
4620	Premium Side "A" Grade	Mustang	Cow	Wing	Cotton	X	X	X	X
4720	Premium Side "A" Grade	Red Ram	Cow	Wing	Cotton	X	X	X	X



«DUPONT»  
**Kevlar**

**Helping Hand Knowledge:**

Sewing a glove with DuPont™ Kevlar® thread increases the overall strength of the seams and also utilizes its inherently flame resistant properties to prevent the seams from burning out due to sparks and open flames.



- 4740 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - Gray cuff with Flame Resistant Cuff Liner
  - Reinforced Straight Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4700 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - 1 piece 13 inch back
  - Full 100% cotton sock lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Fully welted



- 4622 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - One piece back
  - Full sock cotton lined with foam padding
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Self hemmed cuffs



- 4620 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - One piece back
  - Cotton full sock jersey lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



- 4720 Size: XL
- Premium Side "A" Grade Grain Cowhide
  - 13 inch 1 Piece Back
  - Fully lined and Welted
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread

# SPLIT WELDERS



## SPLIT WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4602	Select Side "A" Grade	Blue Beast	Cow	Wing	Cotton	X	X	X	5
4600	Select Side "A" Grade	Blue Beast	Cow	Wing	Cotton	3	200°C or 392°F	4	5
4620A	Select Side "A" Grade	MCR Safety	Cow	Wing	Wool	3	200°C or 392°F	X	X
4750	Select Side "A" Grade	MCR Safety	Cow	Wing	Wool	4	260°C or 500°F	X	5
4500	Select Shoulder "A" Grade	MCR Safety	Cow	Wing	Foam	3	200°C or 392°F	X	X
4300	Select Shoulder "A" Grade	MCR Safety	Cow	Wing	Cotton	3	200°C or 392°F	X	X



**Kevlar**  
 PUNY 5

- 4602 Sizes: XL
- Select Side "A" Grade Grain Cowhide
  - One piece back
  - Cotton drill cuff lined
  - Reinforced Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Foam lined
  - Reinforced palm and thumb strap



**Kevlar**  
 ABR 4 PUNY 5 HEAT 3

- 4600 Sizes: XL-XXL
- Select Side "A" Grade Grain Cowhide
  - One piece back
  - Soft Jersey lined hand
  - Cotton drill lined cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Reinforced palm and thumb strap



**Kevlar**  
 HEAT 3

- 4620A Size: XL
- Select Side "A" Grade Grain Cowhide
  - Aluminized back
  - Wool lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



PUNY 5 HEAT 4

- 4750 Size: XL
- High Heat Treated Select Side "A" Grade Grain Cowhide
  - 3.5 inch Duck Cuff
  - Double Wool lined palm
  - Wing Thumb
  - Protects up to 500F



**Kevlar**  
 HEAT 3

- 4500 Sizes: S-XXL
- Select Shoulder "A" Grade Grain Cowhide
  - 1 piece back
  - Foam lined
  - Reinforced Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



HEAT 3

- 4300 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - 1 piece back
  - Black cotton drill lined
  - Wing Thumb



## SPLIT WELDERS

Style #	Grade	Series	Leather	Thumb	Lining	ANSI Heat	Heat Range	ANSI Abrasion	ANSI Puncture
4730	Select Shoulder "A" Grade	Blue Beast	Cow	Wing	Foam	X	X	X	X
4550	Select Shoulder "A" Grade	MCR Safety	Cow	Straight	Jersey-Foam	3	200°C or 392°F	X	5
4501	Select Shoulder "A" Grade	MCR Safety	Cow	Wing	Jersey	2	140°C or 284°F	X	X
4320	Select Shoulder "A" Grade	MCR Safety	Cow	Straight	Cotton	3	200°C or 392°F	X	5
4150	Select Shoulder "A" Grade	MCR Safety	Cow	Wing	Cotton	2	140°C or 284°F	4	4
4150T	Select Shoulder "A" Grade	MCR Safety	Cow	Wing	Cotton	X	X	X	X



**<DUPONT>**  
**Kevlar.**

- 4730 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - 13 inches 1 Piece Back
  - Foam lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread

**<DUPONT>**  
**Kevlar.**

- 4550 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - High heat foundry glove
  - Red jersey foam full sock lined
  - Straight Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Protects up to 392 degrees Fahrenheit
  - Clute pattern



**<DUPONT>**  
**Kevlar.**

- 4501 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - 13.5 inch 1 piece back
  - Soft Jersey lined hand
  - Cotton drill lined cuff
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread
  - Reinforced palm

**<DUPONT>**  
**Kevlar.**

- 4320 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - 1 piece back, welted and lined
  - Fleece lined
  - Reinforced straight thumb
  - Sewn with DuPont™ Kevlar® thread
  - Russet color



- 4150 Size: XL
- Select Shoulder "A" Grade Grain Cowhide
  - 13 inch 1 piece back
  - Full cotton sock lined
  - Wing Thumb
  - Left Hand Only - (4150LH) - Right Hand Only (4150RH)

**<DUPONT>**  
**Kevlar.**

- 4150T Size: L
- Select Shoulder "A" Grade Grain Cowhide
  - 13 inch 1 piece back
  - Full cotton sock lined
  - Wing Thumb
  - Sewn with DuPont™ Kevlar® thread



Click on the links below to visit these specific MCR Safety landing pages

<https://www.mcrcsafety.com/blog/the-abcs-of-leather-work-gloves>

Below are some other useful resources for specific industrial applications

Please feel free to access these links  
to learn more about more about these innovative products



800-955-6887 | [www.mcrcsafety.com](http://www.mcrcsafety.com)

JL 08/09/2021 - 23014